



BEST AVAILABLE COPY

PTO/SB/08B (08-03)

Approved for use through 05/31/2003. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Sixth Supplemental (use as many sheets as necessary))		Complete if Known	
		Application Number	10/028,631
		Filing Date	December 21, 2001
		First Named Inventor	Jonathan N. Howarth
		Group Art Unit	—
		Examiner Name	—
		Attorney Docket Number	SU-7245
Sheet	1	of	1

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
M	L-51	C.J. Nalepa, "New Bromine-Releasing Granules for Microbiological Control of Cooling Water," paper 03716 (Corrosion 2003 Houston, TX: NACE International, 2003), ppg 03716/1-03716/15.	
ML	L-52	Howarth, J.N., et al. "A New, Bromine-Releasing Solid for Microbiological Control of Cooling Water", IWC-01-05, (Pittsburgh, PA: Engineers' Society of Western Pennsylvania, 2001), ppg 1-7.	
ML	L-53	C.J. Nalepa, et al., "Strategies for Effective Control of Surface-Associated Microorganisms: A Literature Perspective," IWC-02-01 (Pittsburgh, PA: Engineers' Society of Western Pennsylvania, 2002), 19 pages.	
ML	L-54	C.J. Nalepa, et al., "The Control of Bacteria on Surfaces: Effectiveness of Bromine-Based Biocides towards Microbial Biofilms and Biofilm-Associated <i>Legionella pneumophila</i> ," paper TP02-13 (Houston, TX: Cooling Technology Institute, 2002), 22 pages.	
M	L-55	C.J. Nalepa, J.N. Howarth, and F.D. Azarnia, "Factors to Consider When Applying Oxidizing Biocides in the Field," paper 02223 (Houston, TX: NACE International, 2002), 20 pages.	
M	L-56	C.J. Nalepa, "25 Years of Bromine Chemistry in Industrial Water Systems: A Review", Corrosion 2004, paper 04087 (Houston, TX, NACE International 2004), 30 pages.	

Examiner Signature		Date Considered	2/8/05
-----------------------	--	--------------------	--------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.